LAVRENT'YEV, M.L., FOMIN, V.B., POPOT, A.P., SINITSKIY, V.J., YEFREMENKO, O.K., IUKASHIN, N.F.

Desulfurizing cast from with lime in special equipment. Shore trud. UNIIM no.11.80-89 165. (MERA 18311)


APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"


SEREBRYAKOV, L.P.; VOLODCHENKC, K.G.; MINASHKIN, M.A.Prinimali uchastiye: TITOV, N.A.; PROSELKOV, N.L.; MINAYEV, I.Z.; NIKOLAYEV, S.V.; SAMCYLOVA, V.F.; SIDOROVA, L.P.; FOMIN, V.F., red. vypuska; BOBRYSHEV, A.T., red. vypuska; CHAPOVSKIY, Ye.G., red. vypuska; POSPELOVA, A.M., red. izd-va; GUROVA, O.A., tekhm. red.


[Collection of unified district estimates for geological prospecting] Sbornik edinykh poraionnykh edinichnykh rasteenok na geologorazvedochnye raboty. Moskva, Gos. nauchnotekhn. izd-vo lit-ry po geol. i okhrane nedr. No.2. [Hydrogeology and geological engineering] Gidrogeologicheskie i inzhenerno-geologicheskie raboty. 1960. 91 p. (MIRA 14:12)

1. Russia (1923- U.S.S.R.) Ministerstvo geologii i okhrany nedr. 2. Ministerstvo geologii i okhrany nedr SSSR (for Titov, Nikolayev).

(Prospecting)







AZROVA, TS.S.; ARKHIPOV, A.P.; VINOGRADOV, A.V.; GRABOVSKIY, I.V.;
GRISHINA, R.I.; DMITRIYEV, P.D.; DUBINSKIY, Ye.L.; ZABRODIN,
B.V.; KOLOTIY, M.V.; KRASNOV, B.S.; KURDYUKOVA, N.V.; L'VOVA,
Yu.M.; OBUKHOVA, A.V.; FOMIN, V.G.; MEDVEDEVA, M.A., tekhn.
red.

[Album of drawings of TE3, TE7, TE2, TE1, TEM1, and TU2 diesel locomotives; electric apparatus] Al'bom chertezhei teplovozov TE3, TE7, TE2, TE1, TEM1 i TU2; elektricheskie apparaty. Moskva, Transzheldorizdat. Vol.2. 1963. 394p (MIRA 16:9)

1. Russia (1923- U.S.S.R.) Glavnoye upravleniye lokomotivnogo khosyaystva.

(Diesel locomotives---Electric equipment)

8/032/60/026/008/003/011 B015/B064

AUTHORS:

Pomin, V. G., Bogorodskiy, O. V.

TITLE:

Alletermination of the Begree of Microsegregation in Allermanium A Silicen Alloys

PERIODICAL;

Bavodskaya laberatoriya, 1960, Vol. 26, No. 8, pp. 977-979

TEXT: The degree of dendrite segregation was determined in papers of Te. L. Mints (Rof. 1) and other anthors (Refs. 2-4) from the line broadening in the X-ray picture. In this connection it was, however, cuitted to consider the other factors that may also bring about a broadening of the X-ray spectrum line. In the present case, the degree of microsegregation was computed drawing broadening of the Affinction lines corresponding to the glancing angles. The examinations were made on Ge-Si semiconductor alloys with a PKY (RKU) X-ray camera. A sample pulverized to 0.1µ -1µ was used, the X-ray lines corresponding to the larger glancing angles were photometrically evaluated, and their fifth and breadening determined. The propertionality between the broadening of the X-ray line and the tangent of the glancing angle showed that the line broadening was only due to Card 1/2

Determination of the Degree of Microsegregation 8/032/60/026/008/003/011 in Germanium - Silicon Alloys 8/032/60/026/008/003/011

microsegregation (Mig. 2). Since the line broadening depends linearly on the composition of the Ge-Si alloy, it was possible to determine from the line broadening a deviation of the chemical composition of the sample from the average value. The minimum silicon content varied from 0 to 8 at% in the individual parts of the sample. There are 2 figures and 4 references: 3 Seviet and 1 US.

ABSOCIATION:

Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut redkometallicheskoy promyshlennosti (State Scientific Research and Planning Institute of the Rare Metals, Industry)

Card 2/2

22795

24,7700 (1136, 1138, 1158)

S/070/61/006/003/006/009 E021/E435

AUTHORS:

Fomin, V.G. and Bogorodskiy, O.V.

TITLE:

Study of microliquation during solidification of

germanium-silicon alloys

PERIODICAL: Kristallografiya, 1961, Vol.6, No.3, pp.455-459

TEXT: Microliquation affects the semiconducting properties of materials and is therefore a serious disadvantage. Germanium-silicon alloys have a tendency to microliquation. The influence of composition and rate of solidification of these alloys on microliquation was therefore studied. Alloys were prepared by zone-melting and different rates of traverse of the zone were tried. The degree of microliquation was estimated by the broadening of the diffraction lines on the X-ray photograph. X-ray analysis was carried out by the method of Debye with powder samples. The lattice parameter (with an accuracy of 0.001Å) and the degree of microliquation were then calculated. The integral intensity for a cylindrical film height 1 mm, radius R mm is expressed by the well known formula (the symbols having their usual meaning):

22795

Study of microliquation ..

S/070/61/006/003/006/009 E021/E435

$$\rho = \frac{P'}{I_0} = \frac{QPl}{16 \pi \mu R \sin \theta} = \frac{R^2 e^4 \lambda^2 l V}{32 \pi m^2 e^4 R} \cdot \frac{1 + \cos 2\theta}{\sin \theta \cos \theta} p F^2 A . \tag{1}$$

A table and Fig.1 show the results. The physical broadening of the (711) lines is shown plotted against the lattice parameter (1 - polycrystal with a rate of zone traverse u1; 2 - polycrystal with a rate of u2; 3 - single crystal with a rate of u_2 . $u_1:u_2 = 2:1)$. Curves of the true distribution of the intensity in lines (511) and (333) obtained with iron radiation were constructed with the help'of Fourier analysis. Fig. 2 shows the distribution for two samples for the (511) line (2a) and also curves of the distribution of microliquation in relation to the crystal parameter (2b). Inhomogeneity increases with increase in the rate of zone traverse. The degree of homogeneity of single crystal alloys was about twice that of polycrystalline samples. There are 2 figures, 1 table and 7 references: 4 Soviet-bloc and 3 non-Soviet-bloc. references to English language publications read as follows: Card 2/7

Study of microliquation ... Science News Letter, 20 March, 185, 1954;
R.Logan, A.Goss, M.Schwartz, J.Appl.Phys., 25, 12, 1551-1552, 1954.

ASSOCIATION: Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut redkometallicheskoy promyshlennosti (State Scientific Research and Planning Institute of the Rare Metals Industry)

SUBMITTED: June 9, 1960 (initially)
January 28, 1961 (after revision)

FOMIN, V.G.; OVODOVA, A.V.; EDGORODSKIY, O.V.; SHIL'SHTEYN, S.Sh.

Some features of the crystallization of germanium-silicon alloys in zone melting. Kristallografiia 6 no.2:256-260 Mr-Ap '61.

(MIRA 14:9)

1. Gosudarstvennyy nauchno-issledovatel skiy i proektnyy institut redkometallicheskoy promyshlennosti.

(Germanium-silicon alloys) (Dislocations in crystals)

(Melting)

S/032/62/028/012/021/023 B104/B186

AUTHORS:

Fomin, V. G., and Gurevich, M. A.

TITLE:

Accessory to the PKCO (RKSO) standard X-ray camera for the

detection of structural defects in germanium

PERIODICAL:

Zavodskaya laboratoriya, v. 28, no. 12, 1962, 1526

TEXT: The device described here makes use of the anomalous X-ray absorption to detect structural defects, above all dislocations, in germanium. The device (Fig.), made of brass, is fastened to the sample holder of the goniometer nead of the X-ray camera so that the crystal can be adjusted in proper relation to the X-ray beam. The crystal (1) is a single-crystal plate (0.7-2 mm thick) with a diameter of 3-20 mm. It is fastened to the base plane of the body (2) by the screw (3) so that the axis of the sample holder (4) of the goniometer lies in the plane of the base of (2). The body (5) can be detached with respect to the base plane of (2). The X-ray film is in a badge (6) of black paper. A germanium single crystal plate (of 15 mm diameter, 3 mm thick), oriented with an accuracy of 1-20 in the (III) plane, was ground with abrasive powders of various grades. In this way,

Card 1/2


Accessory to the IKCO (RKSO)...

S/032/62/028/012/021/023 B104/B:36

the deviation from the (III) plane was reduced to 10°. The sample was then polished for 20 sec at 48° C with CN-4 (SP-4) etchant. Before this chemical polishing the plate was 0.9 mm thick. There is 1 figure.

ASSOCIATION: Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut redkometallicheskoy promyshlennosti (State Lesign and Planning Scientific Research Institute of the Hare Hetals Industry)

Fig. Schematic diagram of the accessory.



Слема приспособления

Card 2/2

TSYGAN, V.T.; FOMIN, V.G.; GUREVICH, M.A.

Attachment to the GUR-3 X-ray goniometer for operation in the regime of a biprism spectrometer. Zav.lab. 29 no.11:1383-1384 '63.

(MIRA 16:12)

1. Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut redkometallicheskoy promyshlennosti.

FOMIN, V.G.; GUREVICH, M.A.; -SONKINA, E.M.

Modernized RKSO camera for diffraction microradiography. Prib. i tekh. eksp. 9 no.2:160-162 Mr-Ap'64. (MIRA 17:5)

1. Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut redkometallicheskoy promyshlennosti.

FOMIN, V.G.; SARANTSEV, V.F.; SHCHEGOL'KOVA, L.A.; GUREVICH, M.A.

Scanning camera for studying dislocations. Prib. i tekh. eksp. 9 no.2:176-177 Mr-Ap'64. (MIRA 17:5)

1. Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut redkometallicheskoy promyshlennosti.

ACCESSION MRs APLO24989

8/0070/64/009/002/0219/0226

AUTHORS: Fomin, V. G.; Mil'vidskiy, M. G.; Grishina, S. P.; Belyatskaya, M. S.; Gurevich, H. A.

TITLE: Some structural features of highly doped single crystals of silicon

SOURCE: Kristallografiya, v. 9, no. 2, 1964, 219-226

TOPIC TAGS: silicon, single crystal growth, crystal structure, metallographic study, x ray study, crystal pulling, impurity content

ABSTRACT: Metallographic and x-ray studies have shown several distributional patterns of impurities in the body of a silicon rod, including cellular substructure. An increase in impurity concentration substantially affects the structure of the crystal and, to a considerable degree, determines growth characteristics. All else being the same, increased impurity concentration in a melt and in the solid rod apparently increases periodic fluctuations in growth rate during pulling and produces associated periodic irregularities in impurity distribution. These irregularities appear in longitudinal sections and in spiral growth rings in transverse sections. Such highly doped crystals show a greater tendency to grow

Card 1/2

ACCESSION NR: APLO24989

along definite crystal faces. At a certain impurity concentration, crystals begin to show a distinct knobby surface, then a cellular substructure. The general pattern of development of the cellular substructure is the same as in highly doped crystals of Ge. No dislocations were detected in the investigated single crystals. This and the presence of cellular structure are anomalous features when coexisting in the same crystals. Actually, the edge of a cell may be considered a dislocation, and the disorientation angle may give an approximate evaluation of impurity desegregation along this zone. Block structure is responsible for this cellular development. Orig. art. has: 4 figures and 1 table.

ASSOCIATION: Gosudarstvennywy nauchno-issledovatel'skiy i proyektnywy institut redkometallicheskoy promywshlennosti (State Scientific Research and Planning Institute of the Rare-Metal Industry)

SUBSTITUD: 10May 63

DATE ACQ: 16Apr64

CACL OO

SUB CODE: SS

NO REP SOV: OOL

OTHER: 010

Card 2/2

FOMIN, V.G.; MALYUTINA, G.L.; GUREVICH, M.A.; NOVIKOV, A.G.

Distribution of the alloying admixture of gold in germanium single crystals. Kristallografiia 9 no.2:227-230 Mr-Ap'64.

(MIRA 17:5)


1. Gosudarstvennyy nauchno-issledovatel'skiy proyektnyy institut redkometallicheskoy promyshlennosti.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

TWT(m)/EWP(q)/EWP(b) IJP(c)/AFWL/AS(mp)-2/RAEM(t) 5/0032/64/030/010/1227/1229 ACCESSION NR APHOLOGICA AUTHORS: Fortin, V. C.; Shchegol kova, L. A.; Belyatskaya, N. S.; Tejegan, V. T TITLE: K-ray micrographic phenomena of dislocations in silicon SOURCE: Zuvodekaya laboratoriya, v. 30, no. 10, 1964, 1227-1229 TOPIC TAGS: x-ray crystallography, dislocation net, silicon/ URS-50 IN instrument, BSV 6Cu tube, GUR 4 instrument ABSTRACT: The netup used by the authors (Fig. 1 on the Enclosure) is designed to obtain topographic images of defects in silicon crystals. A beam of x-rays from the tube f has an angle of divergence ox that is much greater in the plane of the figure than in the plane normal to it. The extreme rays are shown. The crystal K, with reflecting planes (110) at right angles to the planes of the polished specimen (111), is positioned for proper reflection by measuring transmitted rays with the Geiger counter G. A nickel filter cuts out beta radiation. To reduce exposure time, high voltage is applied to the tube, but this generates some radiation of undesirable wavelength. The disphragm is collimated to pass only the desirable part of the spectrum. The x-ray source for this work was an Card. 1/3

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

1. 6725-65 ACCESSION NR: AI 4046468 URS-50 IN instrument with a BSV-6Cu tube. The basic instrument was a GUR-4 with a special device for x-ray diffraction micrography. The operational constants were: voltage 25-26 kv, current 10 ma, exposure time 7-8 hrs; tube-specimen focal length 250 mm, specimen film distance 10 mm. Photographs obtained by this method clearly show the pattern and orientation of dislocations in the crystal. Orig. art. has: 3 figures. ASSOCIATION: Goindarstvennyty hauchno-issledovatel skiy i proyektnyty institut redkometallicheskoy promy#shlennosti (State Scientific Research and Planning Institute of the Rare Metal Industry) SUBMITTED: OC ENCL: O.L SUB CODE NO REF SOV: OTHER: 002 Card 2/3



INTO J. INPOJ. INPOJ. POP. ACC NR: APE024503 SOURCE CODE: UR/0181/66/008/007/2253/2255 AUTHOR: Fomin, V. G.; Mil'vidskiy, M. G.; Solov'yeva, Ye. V. ORG: State Scientific Research and Design Institute of the Rare-Metal Industry, Moscow (Gosudarstvennyy nauchno-issledovatel skiy i proyektnyy institut redkometallicheskoy promyshlennosti) TITLE: Influence of structure defects on certain electric properties of germanium doped with gold and antimony SOURCE: Fizika tverdogo tela, v. 8, no. 7, 1966, 2253-2255 TOPIC TAGS: germanium semiconductor, semiconductor impurity, impurity level, hole mobility, crystal dislocation, crystal defect, Hall effect, electric conductivity ABSTRACT: The purpose of the investigation was to explain the anomalous decrease in the mobility of the majority carriers at low temperatures, observed in strongly doped single-crystal p-type germanium. To this end, tests were made on single crystals grown by the Czochralski method in the [111] direction and cut into plates perpendicular to the growth axis. The dislocation density in the investigated samples ranged from 1 x 103 to 5 x 104 cm-2. Microscopic x-ray diffraction studies have disclosed the presence of an appreciable number of point defects in addition to dislocations. The degree of inhomogeneity of the crystals was determined by microphotometry of the x-ray diffraction patterns. Measurement of the electric conductivity and of the Hall effect at room temperature showed no oscillations in the properties of the 1/2 Card

Tu 05630-67

ACC NR: AP6024503

samples, thus indicating relatively uniform distribution of the gold atoms in the solid solution. Measurements at 77K have shown, however, that some plates were strongly inhomogeneous. The observed disturbances of the crystal lattice are attributed either to finely dispersed segregation of eutectic gold-germanium segregations, or to the presence of pre-precipitation regions. The maximum inhomogeneity of the distribution of the electric properties took place in the samples with maximum structural inhomogeneity, as manifest by variations of the density of the x-ray diffraction patterns. It is in these samples that the minimal values of the carrier mobility were observed. The most probable cause of the decrease in the mobility at low temperatures is thus attributed to the inhomogeneous distribution of the gold or antimony and of other uncontrolled impurities with shallow levels. The latter can be due either to primary processes during crystallization or to precipitation occurring during the cooling of the crystal. The authors thank A. M. Yelistratov, R. A. Zvinchuk, M. I. Iglitsyn, V. I. Fistul', and V. P. Aver'yanova for interest and for a discussion of the experimental results. Orig. art. has: 2 figures and 1 formula.

SUB CODE: 20/ SUBM DATE: 15Nov65/ ORIG REF: 004/ OTH REF: 004

Card 2/2 eg/

VELIKOVSKAYA, Ye.M.; KOZHEVNIKOV, A.V.; POMIN, V. I.

More about the "moraine" near TSebel'da. Vest. Mosk. un. Ser. 4: Geol. 15 no.4:14-20 Jl-Ag 60. (MIRA 13:10)

1. Kafedra istoricheskoy geologii Moskovskogo universiteta. (Tsebel'da re gion--Moraines)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

自持統領語語的行列

FOMIN, V.I., inzh.; ZHURAVLEV, B.I., inzh; BAZHENOV, Ye.I.

Using high-speed motion-picture photography for investigating the performance of agricultural machinery. Trakt. i sel'khozmash. 31 no.6:35-36 Je '61. (MIRA 14:6)

1. Vsesoyuznyy nauchno-issledovatel*skiy institut sel*skokhozynystvennogo mashinostroyeniya. (Agricultural machinery) (Motion-picture photography)

FOMIN, V.I.; ZHURAVLEV, B.I.

Unit for high speed still photography. Zhur.nauch.i prikl.fot. i kin. 7 no.3:219-221 My-Je *62. (MIRA 15:6)

1. Vsesoyuznyy nauchno-issledovatel skiy institut sel skokho-zyaystvennogo mashinostroyeniya.

(Photography, High speed)

(Photography—Scientific application)


DOLGOV, I.A.; FOMIN, V.I.; OSOBOV, V.I.; BELOZOR, V.V.

Mechanization of hay making operations abroad. Trakt, i sel'kbozmash. 32 no.1:46-48 p.3 of cover da '62. (MIRA 15:2)

FOMIN, V.I., inzh.

Some remarks apropos of B.N. Shtompel's monograph "Study of the grass cutting performance of rotating mowers." Trukt. i sel'khozmash. 32 no.7: 47-48 Jl '62. (MIRA 15:7)

1. Vsesoyuznyy nauchno-issledovatel*skiy institut sel*skokhozyaystvennogo mashinostroyeniya. (Mowing machines) (Shtompel, B.N.)



PANKRATOV, N.S., kand. tekhn. nauk; POKAMESTOV, V.V.; LUK'YANOV, A.D.; GAVRILOV, Yu.M.; IVANOV, Yu.I.; KONDRASHOV, A.S.; MAYEVSKAYA, K.T.; MALKOV, L.M.; FOMIN, V.K.; KOLOTUSHKIE, V.I., red.; LARIONOV, G.Ye., tekhn. red.

[New equipment and technology of peat-bog preparation and the wirning of granulated peat] Novaia tekhnika i tekhnologiia bolotno-podgotovitel nykh rabot i dobychi granulirovannogo torfa. Moskva, Gos. energ. izd-vo, 1961. 86 p. (MIRA 15:2)

l. Leningrad. Vsesoyuznyy nauchno-issledovatel'skiy institut tor-fyanoy promyshlennosti. Direktor filiala Vsesoyuznogo nauchno-issledovatel'skogo instituta torfyanoy promyshlennosti (for Pankratov).


(Peat bogs) (Peat machinery)


TURIK, I.A.; GLEZER, I.G.; IONINA, M.A.; NOVIKOVA, V.I.; SUROVTSEV, S.A.; FOMIN, V.K.

Ways for improving the quality of foundry coke. Koks i khim. no.9:25-27 '62. (MIRA 16:10)

- 1. Ukrainskiy uglekhimicheskiy institut (for Turik).
- 2. Yenakiyevskiy koksokhimicheskiy zavod (for all except Turik). (Coke)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"





\$/179/60/000/03/009/039 E081/E441

AUTHOR:

Fomin, V.L. (Leningrad)

TITLE:

Elasto-Plastic Equilibrium of an Unevenly Heated Tube

Under the Action of Internal Pressure

PERIODICAL: Izvestiya Akademii nauk SSSR, Otdeleniye tekhnicheskikh

nauk, Mekhanika i mashinostroyeniye, 1960, Nr 3,

pp 55-59 (USSR)

ABSTRACT:

A tube subjected to internal pressure p and unevenly heated is a common feature of power, chemical and other installations. For the axially symmetrical problem, the temperature field To(r) is taken as the second equations, p 55, in which T_2 is the temperature at the external boundary of the tube (r = b); the internal boundary (r = a) is maintained at zero temperature. The solution of the problem in the plastic zone is found with the aid of the complex potentials suggested by Galin (Ref 1; 3rd Equations, p 55), where k is the flow limit in pure shear, and in the elastic zone by the Kolosov-Muskhelishvili potentials

Card 1/3

(4th Equations, p 55), where B_0 is a real constant, E is Young's modulus, α is the coefficient of linear

S/179/60/000/03/009/039 E081/E441

Elasto-Plastic Equilibrium of an Unevenly Heated Tube Under the Action of Internal Pressure

expansion, and the Poisson's ratio is taken as 0.5. A first order perturbation from the axially symmetrical state is considered (2nd Equation, p 56, with the stresses given by the 3rd equations; & is a small The boundary between the plastic and elastic zones is found from the 4th and 5th sets of equations, p 57. For a second order perturbation from the axially symmetrical state, the temperature field is represented by the 6th equation, p 57, and the stresses by the 7th equations. The boundary between the plastic and elastic zones is then found from the third equation (for r), p 58. A numerical example, using the first approximation, is considered, based on the data near the foot of p 59. Calculations of σ_{θ} for $\theta = 0$ are plotted in the figure. For $\delta=0.2$, σ_{Θ} differs from σ_{Θ}^{O} (see 3rd equations, p 56) by a maximum of 20%; the boundary between the elastic and plastic zones r = 4.23 - 0.05 cos 0 differs insignificantly from a

Card 2/3

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2

S/179/60/000/03/009/039 E081/E441

Elasto-Plastic Equilibrium of an Unevenly Heated Tube Under the Action of Internal Pressure

circle. There are 1 figure and 2 Soviet references.

SUBMITTED: February 4, 1960

Card 3/3

K

	, p	20		<i>J</i> _ <i>V</i>	ä		,	15.	# E	6.0							- 1							and page	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Schemyer, V.S. Milect of the	minimizer. Lik. Right of the	b. Orth A.A. Forstationry Motion of an Ideal Gas Variable Cross Section	h Gissbirg, L.P., and E.K. Shinkisins. Boundary	Layer of a Flace in a Compression Fluid	i, miner, by Bries of Compassibility on Madri of Delivering Profiles	HURCAERGITIAAGES		of Milviple Loading Order Conditions of the Conditions of the Conditions of the Condition of the	12. Frait. 7.W. Eastic-Plastic Evilibrium of a Sest With	11. Thirper, 0.2. and T.M. Therestern. In	10. Parilarne, Y.Ta. On the Equations of the Nembrane Countries County	9. Mikiting Yah. Approximate Solution of the Proof of Crimeters and Forms on a Cylindrical Carl	8. Establishmental on the Problem of the	6. Termester, 7.8. Bissions of series of Spream Sin Committee for beingtee Electron for Bringer of Electron Committee Electron Committee	Borramics. V.S.	8	COMBANE: The collection overlate of ord modern mechanics including general mec hydromerodynamics. No personalities a articles armers	PRIME: This collection of articles is intended for scientists, suchners at \$11.0 (scientific meanth institutes) and design offices and also for statents of stwared courses in winted-fields.	Resp. Si.: S. E. Polymbbov, Professor; Ma: T. Zoukeva.	Sponsoring Agency: Lemingredukly ordens Lemins &. A. Endances.	Webbasia (Webasis) [poingral] 1960. 2: so. 200. Seriya setemticheskikh mank, l,[7] copies printed.	Mentagrad. University:		
T ALL TENERSON ALL MAN	Depth of Eleration on the Quantity of the	Depth of Immeraton on the of a Sphere 238	Edeth Gas in a Tube of 197	rindary layer of a. 186	ergh Turbulent Boundary 170	on the Arrelyntale 166		n the Culculation of a	Stresses of Steel in the Case of a Marcial Stressed State 136	um of a Shest With a 'Astivoley Temperature Field 132	Case of Malityle Loading 113	the Jenhrane Theory of bouble-	10	th the Problem of Deformation of a Cylindrical Tube So	F Worken of Smallery Forbelogmale To Electric type of \$4.0, Chelayer To Electric to Phastics the the Cytical 63 16 Actyria	Supplements to the Amports on Scabalinguis 36	Detrorectal Equations of Trinopolar Form	citals of original investigations to the field of ding general mechanies, theory of elasticity, and personalities are mentioned. References accompany all	intended for selectists, sugimeers : and design offices and also for st	of To E. Bilagina; Yech. Ed.: Ye. O.	eniae gosudarstwany miwreitet izeni	254 p. (Beries: Ins Chenyre capield, k, 179. 35) Erreta ellp inserted.	I BOOK EXPLOITATION 801/1630	•	

24 4200

1327 1103 1191

S/179/61/000/005/016/022 E032/E414

AUTHOR:

Fomin, V.L. (Leningrad)

TITLE:

Elastoplastic equilibrium of a hollow cylinder under the action of an axially symmetric temperature field

PERIODICAL: Akademiya nauk SSSR. Izvestiya. Otdeleniye

tekhnicheskikh nauk. Mekhanika i mashinostroyeniye.

no.5, 1961, 127-128

TEXT:

The author discusses the elastoplastic equilibrium of a thin-walled tube under the action of external pressure and a

temperature field of the form

 $T(r,z) = T^* - (r) + \delta T^{\dagger}(r,z)$

where 5 is a small parameter, (r, θ, z) are cylindrical coordinates and T' is a linear function of z. Using method (and the notation) employed in the previous paper (Ref.1: Izv. AN SSSR. OTN. Mekhanika i mashinostroyeniye, 1960, no.3), the author derives formulae for the stresses and displacements at various points in the tube. It is shown that in the elastic zone

Card 1/3

31077

Elastoplastic equilibrium ...

S/179/61/000/005/016/022 E032/E414

$$\sigma_{r}^{'e} = \frac{2\alpha B}{r^{3}} \left[\Phi(r, b) - \frac{r^{3} - b^{3}}{c^{3} - b^{3}} \Phi(c, b) \right]$$

$$\sigma_{\theta}^{'e} = \frac{2\alpha E}{r^{3}} \left[\frac{b^{3} + r^{3}}{b^{3} - c^{3}} \Phi(c, b) - r^{3}T'(r, s) - \Phi(r, b) \right]$$

$$\sigma_{z}^{'e} = 2\alpha B \left[\frac{1}{b^{3} - a^{3}} \Phi(a, b) + \frac{1}{b^{3} - c^{3}} \Phi(c, b) - T'(r, s) \right]$$

$$\tau_{rz'e} = \frac{\alpha E}{r} \frac{\partial}{\partial s} \left[\frac{b^{3} - r^{3}}{b^{3} - c^{3}} \Phi(c, b) - 2\Phi(r, b) + \frac{b^{3} - r^{3}}{b^{3} - a^{3}} \Phi(a, b) \right]$$

while in the plastic zone

(8)

$$\sigma_{r}^{'p} = \sigma_{\theta}^{'p} = 0, \qquad \sigma_{z}^{'p} = \alpha E \left[\frac{2}{b^{2} - a^{2}} \Phi(a, b) - T'(r, z) \right]$$

$$\tau_{rz}^{'p} = \frac{\alpha E}{r} \cdot \frac{\partial}{\partial z} \left[\Phi(a, r) + \frac{a^{2} - r^{2}}{b^{2} - a^{2}} \Phi(a, b) \right]$$
(10)

The boundary between the sones is the right-circular cone Card 2/3

Elastoplastic equilibrium ..

31077 \$/179/61/000/005/016/022 E032/E414

$$r = c + \delta \frac{\alpha E}{M} \left[\frac{2}{b^2 - c^2} \Phi(c, b) - T'(c, z) \right] \qquad \left(2M = \left[\frac{d\sigma_0^{op}}{dr} - \frac{d\sigma_0^{oe}}{dr} \right]_{r=c} \right)$$

The elastoplastic problem in the case of an arbitrary field T', r, z may be obtained by the method of separation of variables and the elastic zone may be interpreted in terms of the general solution given by G.N.Maslov (Ref. 4: Thermoelastic Equilibrium in the Theory of Elasticity, Izv. VNIIGI im. Vedeneyeva, 1938, v.23). There are 4 Soviet-bloc references.

SUBMITTED: April 14, 1961

Card 3/3

S/179/62/000/001/020/027 E114/E181

24. 4200 AUTHOR:

Fomin, V.L. (Leningrad)

TITLE:

Relaxation of elastic-plastic tubes subjected to a

thermal field and a uniform external pressure

PERIODICAL: Akademiya nauk SSSR. Izvestiya. Otdeleniye

tekhnicheskikh nauk. Mekhanika i mashinostroyeniye,

no.1, 1962, 149-152

TEXT: The article considers the behaviour of a round tube made of elastic-plastic material and subjected to a cyclically varying external uniform pressure and an asymmetric temperature field. The loading is due to quasi-stationary thermal fields satisfying the Laplace equations cyclically applied and removed. An equation was established for elastic stresses in a tube due to internal heating and the residual strains were assumed to exist and behave in accordance with the theory of relaxation, i.e. the sum of residual strains and elastic strains nowhere reaches the magnitude sufficient to cause flow. First of all, a radical distribution of temperature is considered in Card 1/2

B

Relaxation of elastic-plastic tubes... S/179/62/000/001/020/027 E114/E181


conjunction with external pressure. Then expressions are derived for a distribution of temperature in the absence of pressure. Finally, the general case is considered and an equation is derived defining the zone in which permanent deformation will take place.

There are 4 figures.


SUBMITTED: November 11, 1961

B

Card 2/2



"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2



24 4200

8/044/62/000/009/029/069 A060/A.000

. AUTHOR:

Fomin, V.L.

TITLE:

On the error of solution of the elastic problem when one Poisson coefficient is replaced by another

PERIODICAL:

Referativnyy zhurnal, Matematika, no. 9, 1962, 60, abstract 98286. (In collection "Issled. po uprugosti i plastichnosti". I. Leningrad, Leningr. un-t, 1961, 181 - 182)

An estimate is given for the energetic norm of the error of solution of basic problems of the three-dimenstional theory of elasticity, when one Poisson coefficient is replaced by another; the plane case is also considered. It is established that the error may be arbitrarily great even for a small change in the Poisson coefficient.

S.G. Mikhlin

[Abstracter's note: Complete translation]

APPROVED FOR RELEASE: 06/13/2000

Card 1/1

CIA-RDP86-00513R000413510005-2"

5/753/61/000/001/006/007

AUTHOR: Fornin, V.L.

TITLE: On the modeling of temperature stresses in the plane elastic problem.

SOURCE: Leningrad. Universitet. Matematiko-mekhanicheskiy fakul'tet. Issledovaniya po uprugosti i plastichnosti. no.1. 1961, 183-185.

TEXT: The paper outlines a theoretical method intended to overcome the difficulty in optical experimental methods of stress determination in modeling the boundary conditions for the temperature field and to remove the difficulty of reconciling the different stress distributions in models and in the full-scale body if the elastic constants are different. Regarding the first problem as resolved by the use of N. I. Muskhelishvili theorem, according to which temperature stresses in the plane problem (in a stationary field) can be regarded as dislocation-caused stresses, the author tackles the second problem. The paper specifies the temperature field that must be established in a model to simulate the stress distribution in the full-scale body if the shapes are equal, but the model and the full-scale body have different Poisson coefficients. It is also demonstrated (if the Levi-Mitchell condition is not fulfilled) that, if in the full-scale body there is no temperature field, then a specified dislocation can produce in the model a field of stresses that coincide with

Card 1/2

On the modeling of temperature stresses in ...


() (the first and the second party of the property of the second party of the second

S/763/61/000/001/006/007


the stresses in the full-scale body. If the Levi-Mitchell condition is fulfilled, then we obtain automatically identical stress fields in the model and in the full-scale body, so that there is no need for any supplementary dislocations. The solution of the elastic problem in a doubly-connected region is set forth in terms of complex potentials, thereby determining the characteristics of the dislocations that must be created in the model. There are no figures or tables; there are 2 references (1 Russian-language Soviet: Muskhelishvili, N.I., Nekotoryye osnovnyye zadachi matematicheskoy, teorii uprugosti, (Problems of the mathematical theory of elasticity), Izd-vo AN SSSR, 1949; 1 Russian-language translation of the English-language textbook: Coker, E.G., and L.N.G. Filon, Opticheskiy metod issledovaniya narpyazheniy (A Treatise on photoelasticity), ONTI, 1936 (English-language original published by Cambridge University Press, London, 1931).

ASSOCIATION: Kafedra teorii uprugosti matematiko-mekhanicheskogo fakul'teta Leningradskogo gosudarstvennogo universiteta im. A. A. Zhdanova (Department of the Theory of Elasticity, School of Mathematics and Mechanics, Leningrad State University imeni A. A. Zhdanov).

Card 2/2



"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2



"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2

ACC NR: AP7002701

SOURCE CODE: UR/0424/66/000/006/0144/0147

AUTHOR: Kulikov, V. D. (Leningrad); Fomin, V. L. (Leningrad)

ORG: none

TITLE: On the stress concentration in a plate with a circular opening

SOURCE: Inzhenernyy zhurnal. Mekhanika tverdogo tela, no. 6, 1966, 144-147

TOPIC TAGS: stress concentration, stress analysis, complex stress, tensile stress, variational method, variational calculus, functional equation

ABSTRACT: The stress concentration in an infinite plate with a circular opening was examined under bilateral strain. The solution of a simple loading problem was reduced to a minimization of the nonquadratic functional. The infinite plane with an opening was substituted by a circular ring with an adequate external radius; Kachanov's variational method was used to calculate this finite area. The statistically permissible stress-strain fields were determined by separating the variables in the equilibrium equations. The calculations were performed on a M-20 computer. The results obtained by other researchers in the past, including a case of pure shear as well as previously obtained empirical results, are tabulated. Orig. art. has: 15 formulas, 4 figures.

SUB CODE: 20, /2 SUBM DATE: 22Jun66/

ORIG REF: 006

Card 1/1

SHUKSTAL', Ya.V., kand. ekonom. nauk; VERKHOVSKIY, I.A., kand. ekonom. nauk; FOMIN, V.M., kand. ekonom. nauk; MEZENEV, N.I., inzh.; DMITRIYEV, V.I., kand. ekonom. nauk; PADNYA, V.A., inzh.; Prinimali uchastiye: ZOTIKOVA, V.I., kand. ekonom. nauk; YELISEYEVA, T.V., inzh.; KUBLITSKAYA, V.Kh., inzh.; KUDRYAVTSEVA, T.N., inzh.; MEZENEV, N.I., inzh.; TIKHONCHUK, M.K., inzh.; FEDOSOVA, V.N., tekhnik; DOBSHITS, M.L., red. izd-va; TIKHOMIROVA, S.G., tekhn. red.; LAUT, V.G., tekhn. red.

"中国工程的公司在中国"的特别是最大的特别的一个战争的政治

[Scope of the use of railroads and motorvehicles for short-distance freight haulage] Sfery primeneniia zheleznodorozhnogo i avtomobil'nogo transporta pri perevozke gruzov na korotkie rasstoianiia. Moskva, Izd-vo Akad. nauk SSSR, 1961. 197 p.

1. Akademiya nauk SSSR. Institut kompleksnykh transportnykh problem.

(Transportation, Automotive) (Railroads-Freight)

FOMIN, V.M.; ZIMIN, A.F., redaktor; YEGURNOV, G.P., redaktor; KOROVENKOVA.

有关的 在1.61.451的第四条 HTMM (2016年12月11日) 上发音经验的

[Mastering the ShEM-1 Combine at the Cheliuskintsev Mine in the Donets Basin] Opyt osveeniia kombaina ShEM-1 na shakhte im. Cheliuskintsev v Donbasse. Moskva, Ugletekhizdat, 1954. 34 p. (MIRA 8:5) (Mining machinery)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

Combined geological and hydrogeological surveying. Rasved.1 okh.nedr 25 no.11:20-23 N '59. (MIRA 13:5)

1. Winisterstvo geologii i okhrany nedr SSSR (for Fomin).
2. Vaceoyusnyy mauchno-iseledoyatel'skiy institut gidrogeologii i inshenernoy geologii (gr Marinov).

(Prospecting)

KUROV, S.A.; TITKOV, A.I.; VASIL'YEV, A.M.; GLADYSHEV, G.I.; SHAPSHAL, B.G.
BLYAKHMAN, D.S.; BOGACHEVA, B.M.; FOMIN, V.M.

Critical notes on a reference book ("Tractors and Automobiles."
IU.A.Domatovskii, I.I.Trepenenkov. Reviewed by S.A.Kurov). Avt.
trakt. prom. no.5:32 My '55. (MIRA 8:8)
(Tractors) (Automobiles) (Dolmatovskii, IU.A.) (Trepenenkov, I.I.)


FOMIN, V.M., inzhener.

Efficient hauling of grain from the virgin lands. Zhel. der. transp.
39 me.3:25-28 Mr '57.


(Grain--Transportation)


APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2



"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2





TEMINI, V.M.

AUTHOR:

Tolstaya, M.A., Candidate of Chemical Sciences,

TITIE:

Kayris, E.I., Engineer and Fomin, V.M. Engineer. The thermal stability and corrosive activity of nitride-nitrate salt mixtures at temperatures above 500 °C. (Termicheskaya stoykost' i korrozionnaya aktivnost, nitrit-nitratnogo solevogo sostava pri temperaturakh vyshe 500 C.)

PERIODICAL:

"Teploenergetika" (Thermal Power) 1957, Vol.4, No.7, pp. 60 - 64 (U.S.S.R.)

ABSTRACT:

The salt mixture known as HTS consisting of 40% Mano₂ 53 KNO₃, 7% Nano₃ is commonly used as a heat transfer medium attemperatures above 500 °C and also in hardening baths. Published data is available on the thermal stability and corrosivity of this mixture but it is necessary to study the kinetics of the process of thermal decomposition at temperatures above 500 °C in order to determine its practical importance. The object of the present work is to investigate the kinetics of the process of thermal decomposition of a nitrite-nitrate mixture and its corrosivity within the temperature range 500 - 550 °C, when in contact with pipes of steels used in engineering construction.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2

AUTHORS: Fomin, V.M., Rulev, N.A., and Narinov, N.A. 307/132-59-1-5/18

TITLE: Organize the Conservation of Underground Laters (Organi-

zovat'okhranu podzemnykh vod)

FERIODICAL: Razvedka i okhrana nedr, 1959, 1 Nr 1, pp 31-36 (USSR)

ABSTRACT: The intensive exploitation of underground waters in the

USSR for industrial and agricultural purposes causes the lowering of the piezometric level, and the deterioration of the quality of these waters. The authors, after

citing many cases of the misuse of these natural resources, find that special measures must be urgently taken to

prevent superfluous expenditure of the underground waters. Such laws already exist in many states of the US.

ASSOCIATION: Ministerstvo geologii i okhrany nedr, SSSR (The Ministry

of Geology and Conservation of Mineral Resources of the

USSR); VSEGINGEO

Card 1/1

3(2.5.8)307/132-55-5-3/17 AUTHORS: Fomin, V.M. and Marinov. H.A. TITLE: The Basic Tasks of Hydro-Geological Operations from 1959 to 1965 PERIODICAL: Razvedka i okhrana nedr, 1969, Nr 5, pp 37-44 (8301) ABSTRACT: The authors review the achievements of different institutions and organizations of the Limistry of Geology and Conservation of Mineral Resources during the lest years and enumerate the tasks and problems which must be solved in the 1959-1965 period. The authors consider that the reserves of ground-water must be treated as another important mineral product and care must be taken of its utilization. They enumerate various Scviet regions where important underground-water reservoirs were discovered, prospected and, at present, are used for the benefit of the population, for the development of agriculture and for cattle-breeding purposes. In the 1954-1753 period, 12,157 wells were drilled, of which 9,217 were transferred for exploitation to different agricultural organizations. The Card 1/3

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

most important task avaiting different institutions of the said

107/137-55-5-6, 17

The Basis Tabks of Hydro-Geological Operations from 1959 to 1965

Ministry will be the study of hydro-geological conditions of regions important for the national econo y and the compilation of hydro-geological maps of different republics of the Union. Almost 3 million sq km must be thus mapped before the end of the Seven Year Plan. In the same period, not less than 20,000 new exploring and prespecting wells must be willed in the unexplored or partly explored regions. The existing net of mineral water health resorts must be considerably onlarged and newly discovered mineral water sources must be exploited. The work of 45 existing hydro-geological stations is far from satisfactory. The geophysical methods of survey are insufficiently introduced into the hydro-geological exploration. In the future, all hydro-geological expeditions must include specialists or a group of specialists conversant with this method of survey. The important task of conservation of water resources must also belong to the duties of these hydro-geological stations. The scientific-research work: in the field of hydro-goology and Geological engineering are conducted mainly by the VSEGINGEO and partly by the VSHGUI of the

Card 2/3

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

307/132-59-5-8/17

The Basic Tasks of Hydro-Geological Operations from 1959 to 1965

Ministry. The most important task awaiting these institutions is a theoretical explanation of the regularity in the distribution and formation of the underground mineralized waters and brines of the Soviet Union. On the solution of this problem depends the determination of basic regularity of the distribution of rare elements in deeply occuring water reservoirs and the compilation of a map forecasting a possible concentration of these elements. The scientific-research institutes of the Ministry must also solve the problem of irrigation of desert parts of the Seviet Union, particularly the Golodnaya Steppe, the Eastern Transcaucasia, the Caspian Coastal region, etc.

ASSOCIATION:

Ministerstvo geologii i okhrany nedr SSSR (The Ministry of Geology and of Conservation of Mineral Resources USSR) (Fomin) The VSEGINGEO (Marinov)

Card 3/3

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2

AUTHOR:

Fomin, V.M.

SOV/132-59-8-18/18

TITLE:

A Hydrogeological Conference on Mineral and Thermal

Waters in USSR

PERIODICAL:

Razvedka i okhrana nedr, 1959, Nr 8, pp 62-63 (USSR)

ABSTRACT:

A conference called by the Sektsiya gidrogeologii i inzhenernoy geologii Ekspertno-geologicheskogo sovieta (the Section of Hydrogeology and Engineering Geology of the Expert-Geological Council) at the Ministry of Geology and Conservation of Mineral Resources) took place from 24 to 26 June, 1959. The aim of the conference was to ascertain the degree of accomplished study and further development of scientific research and exploratory works on mineral and thermal waters of the USSR. attended by hydrogeologists of all territorial geological directorates and representatives of VSEGINGEO and VSEGEI Institutes, by the collaborators of:

Card 1/4

Laboratoriya gidrogeologicheskikh problem AN SSSR (Laboratory of Hydrogeological Problems of the

SOV/132-59-8-18/18

A Hydrogeological Conference on Mineral and Thermal Waters in USSR

AS USSR), AS Ukrainskaya SSR, AS Belorusskaya SSR, the Dagestanskiy filial (Dagestan Branch of the AS USSR, MGRI, Institut Kurortologii Ministerstva zdravookhraneniya RSFSR (Institute for the Protestion of Health of the RSFSR), Pyatigorskiy bal'neologicheskiy institut (Pyatigorsk Balneological Institute), Institut Teploelektroproyekta (Teploelektroproyekt Institute), etc. Hydro-thermal reserves of different regions of the USSR were assessed, the planning or development of new health resorts was reported. In connection with the development of the iodine and bromine industries, the Ministry assessed the reserves of these waters in the Cheleken, Zykh and Krasnokamsk regions and gave an approximate assessment of the iodine-bromine waters of the Krasnodarskiy Kray, and Tatarskaya and Bashkirskaya republics. At present, a total of 1.70 mineral and thermal sources are in use: there are 134 balneological and drinking health resorts, 45 bottling factories and

Card 2/4

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

SOV/132-59-8-18/18

A Hydrogeological Conference on Mineral and Thermal Waters in USSR

The conference mentioned the insufficient exploitation of mineral and thermal waters, explained by an under-estimation of their importance in the economic life of the nation. Mineral brines are being insufficiently used in industry. Although many institutions pay much attention to this problem, the Institutes of the Ministry of Geology and Conservation of Mineral Resources ignored this problem for a long time, and only in 1958 did VSEGINGEO begin research work on mineral and thermal waters. Other Institutes, except VSEGEI, of the Ministry do not engage in any studies on the subject.

Many reports on the utilization and study of mineral waters were read by: F.A. Makarenko, B.F. Mavritskiy, V.A. Pokrovskiy and S.A. Dzhamalov from LGGP AS USSR, B.M. Vymorkov (Teploelektroproyekt Institute), I.M. Buachidze (Gruzinskaya SSR), N.M. Churshina (Tadzhikskaya SSR), B.A. Beder (Uzbek-

Card 3/4

SOV/132-59-8-18/18

A Hydrogeological Conference on Mineral and Thermal Waters in USSR

skaya SSR) A.I. Oganov (Azerbaydzhanskaya SSR) and V.V. Ivanov (Institute of Study of Health Resorts). N.A. Plotnikov (MGRI), I.K. Zaytsev (VSEGEI), P.I. Trofimuk (Glavgeologiya RSFSR) reported on the study and practical utilization of brines. Further extended exploration and prospecting for mineral and thermal waters was recommended by the Conference.

Ministerstvo geologii i okhrany nedr SSSR (Ministry ASSOCIATION:

of Geology and Conservation of Mineral Resources of the USSR)

Card 4/4

FOMIN, V.M.; KUTELIN, B.I.

Mapping underground water resources in the U.S.S.R. Razved. 1 okh.
medr 26 no.9:42-45 S *60. (MIRA 15:7)

1. Ministerstvo geologii i okhrany nedr SSSR (for Fomin). 2. Moskovskiy gosudarstvennyy universitet (for Kudelin). (Water, Ungerground—Maps)

GOLOV, A.Ye.; KOLOMENSKIY, N.V.; FOMIN, V.M.


Results of the conference of the member nations of the Economic Aid Council on mapping for engineering geology purposes. Sov.geol. 4 no.5:151-153 My '61. (MIRA 14:6)

1. Ministerstvo geologii i okhrany nedr SSSR. (Engineering geology—Maps)

KATS, D.M.; FOMIN, V.M.

Use of vertical drainage in irrigated territories as exemplified by its use in Central Asia. Sov.geol. 4 no.6:8-16 Je 161.

1. Ministerstvo geologii i okhrany nedr SSSR i Vsesoyuznyy nauchnoissledovatel'skiy institut gidrogeologii i inzhenernoy geologii. (Soviet Central Asia—Drainage)



ZAYTSEV, G.N.; POGORELISKIY, N.S.; SMIRNOV, A.A.; FOMIN, V.M.; SHAGOYANTS, S.A.

New data on carbonated underground waters in the region of Caucasian Mineral Waters. Sov. geol. 4 no.1:89-97 Ja '61. (MIRA 14:1)

1. Ministerstvo geologii i okhrany nedr SSSR, Vsesoyuznyy nauchnoissledovatel skiy institut gidrogeologii i inzhenernoy geologii, Glavgeologiya RSTSR i Severo-Kavkazskoye geologicheskoye upravleniye. (Caucasus--Mineral waters)

MARINOV, N.A.; SOXOLOV, D.S.; FOMIN, V.M.

Current problems in hydrogeology. Sov.geol. 4 no.10:58-67 0 '61. (MIRA 14:11)

1. Ministerstvo geologii i okhrany nedr SSSR i Vsesoyuznyy nauchno-issledovatel skiy institut gidrogeologii i inzhenernoy geologii.

(Water, Underground)

KOLOMENSKIY, N.V., FOMIN, V.M.

Basic principles of mapping methods from the point of view of engineering geology. Razwed. 1 okh. nedr 27 no.2:56-59 F 61.

(MIRA 14:5)

1. Moskovskiy geologyrazvedochnyy institut (for Kolomenskiy).

2. Ministeratvo geologii i okhrany nedr SSSR.

(Engineering geology—Maps)

S/169/63/000/002/087/127 D263/D307

AUTHORS:

Tal'-Virskiy, B. B. and Fomin, V. M.

TITLE:

On the nature of magnetic and gravitational anomalies of the oil-bearing Bukharo-Khivinskaya district and of Kyzyl Kum

PERIODICAL:

Referativnyy zhurnal, Geofizika, no. 2, 1963, 15, abstract 2D88 (Uzb. geol. zh., 1962, no. 3, 22-26 (Summary in Uzb.))

TEXT: The anomalous geomagnetic field of the Bukharo-Khivinskaya district is mainly connected with petrographic nonuniformity of the Paleozoic basement. This may also explain the second order gravitational anomalies observed in the north-western part of the Bukharo-Khivinskaya province. Third order anomalies, both in the north-western part of the Bukharo-Khivinskaya province and in conditions of development of mosaic fields of its south-eastern part are caused by local structures such as relief of the Paleoizoic basement and of the overlying Mesozoic and Cainozoic deposits. The characteristic

Card 1/2

On the nature of ... S/169/63/000/002/087/127

Structure of the gravitational field of the southern Kyzyl-Kum elevation (Kul'dzhuktau, Auminzatau) is explained by the relief of the basement and deep-seated regional background. Abstracter's note:

Complete translation. 7

Card 2/2

(A) 150 种种型设施的现在分词在经验的 (A) 数据设施。

42:101-102 '62.

BOGOMOLOV, G.V.; VALEDINSKIY, V.I.; KOCHNEV, S.S.; MANIS, M.N.; PANTELEYEVA, Ye.N.; POPOV, I.V.; SYROVATKIN, V.G.; FOMICHEV, M.M.; BOGORODITSKIY, K.F.; DUKHANINA, V.I.; KRASINTSEVA, V.V.; MAKARENKO, F.A.; POKROVSKIY, V.A.; SILIN-DEKCHURIN, A.I.; FOMIN, V.M.; SHAGOYANTS, S.A.


Il'ia Il'ich Kobosev; obituary. Trudy Lab.gidrogeol.probl.

(Kobosev, Il'ia Il'ich, 1908-1961)

(MIRA 15:8)

Increasing the tempo of the desalting of irrigated land.
Razved. 1 okh. nedr 29 no.10:28-52 0 '63.

1. Vsesoyuznyy nauchno-issledovatel'skiy institut gidrogeologii i inzhenernoy geologii (for Kats, Murinov). 2. Gozudurstvennyy geologichoskiy komitet SSSR (for Fomin).




FOMIN, V.M.


Formation of the underground waters of the Kyzyl Kum uplift.
Razved. i okh. nedr. 30 no.3:49-54 Mr *64 (MIRA 18:1)

1. Gosudarstvennyy geologicheskiy komitet SSSR.

"APPROVED FOR RELEASE: 06/13/2000 CI

CIA-RDP86-00513R000413510005-2






EVT(m)/EWP(t)/ETI/EWP(k) TJP(c) 07807-67 SOURCE CODE: UR/0137/66/000/001/T110/T110 ACC NR: AR6017500 AUTHOR: Fomin, V. M.; Genis, L. M. TITLE: Investigating the operation of the high-temperature SKB-5303A laboratory vacuum electric resistance furnace 21 SOURCE: Ref. zh. Metallurgiya, Abs. 11764 B REF SOURCE: Elektrotermiya. Nauchno-tekhn. ab., vyp. 45, 1965, 3-5 TOPIC TAGS: vacuum heat treat furnace, laboratory furnace ABSTRACT: The authors describe the SKB-5303A laboratory electric furnace designed for heat treatment of various materials and for other operations at temperatures up to 2500°C (and for brief periods up to 3000°C) and a residual pressure of 5.10°5 mm Hg. The furnace is a horizontal water-cooled cylindrical steel frame consisting of two parts closed at the ends by covers. A forechamber with a loading mechanism is connected to one of the covers and separated from the furnace by a vacuum lock. The other cover contains an observation port. The first model of the furnace was tested for air tightness and for reaching the ultimate residual pressure in the working section. It is concluded from the resultant data that the electric furnace may operate for protracted periods at a temperature of 2500°C with a ±100° nonuniformity in heating with respect to the 100-mm length of the working zone. The furnace is loaded and unloaded without destroying the vacuum. Alterations in the design of the furnace are recommended for improving its technical and economic indices. V. Ferenets. [Translation of abstract] UDC: 669,01:662,041 SUB CODE: 13. Card 1/1 mc


APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413510005-2"

THE PERSONAL WAS A REPORTED TO SEE

1. 62783-65 EWT (m)/T/EWP(t)/EWP(h) ID AUCESSION NEL: AES017408 UR/0137/65/000/006/B015/B015 SOURCE: Ref. zh. Metallurgiya, Abs. 6893 AUTHOR: Fomin, V. M.; Kalitin, V. I. THILE: Operational test of type SNV-15.30/11.5 (experimental M-03) vacuum chamber electric furnace for heating large dimension pieces in a vacuum or in an inert gas medium CHTED SOURCE: Elektrotermiya, Nauchno-tekhn. sb., vyp. 42, 1964, TOPIC TAGS: vacuum chamber, vacuum arc furnace, vacuum furnace development, electric furnace, vacuum heat treatment furnace, inert gs.s/ SNV-15.30/11,5 furnace TRANSLATION: The article considers questions of the construction, electrical feed, charge, degree of vacuum, and temperature of a type SNV-15.30/11.5 (experimental N-03) electric furnace, which can find applications in various industrial metallurgical processes involving heating of large ingots or pieces in a vacuum or under protective Cord 1/2



MCCESSIC	ON NR: AP5023357	الله الله الله الله الله الله الله الله		*** • •	
	•		UR/00	20/65/164/001/	0058/0061
wormow:	Fomin, V. N.		•		15
TITLE:	Parametric resonan	ce of elastic system	as with distribut	ed paramaters	14 B
SOURCES	AN SSSR. Dolclady,	v. 164, no. 1, 1965	58-61	and and a	
	GS: stability 14				
LBSTRACT	The author consi	ders	•		
		$i = fx = \frac{1}{2}[I + eH]$	$\{ au\}_{x_i}$	(1)	
r(t) = 2	Halle My, symmetric	H where a) \mathcal{F} is a erse and the operation for each \mathcal{T} , and then the author finds $\ (\alpha - \alpha)I - \mu\ $	the characteris	has the form	
finds	the most		" y.	(2)	1
tains the ently so	he region of dynamicall &. Orig. ar	part of the character instability of the has: 12 formulas.	ristic exponents e first approxim	of (1). Fins	illy, he



L 21/157-65 EWE (1)/EBC-4/EWA (b) Pat

ACCESSION NR: AP5005667

5/0223/64/000/010/0004/0008

25

AUTIDR: Panchenko, F. Ye. (Head of the signalization and communications service of the East Siberian Railroad); Rodystin, N. A. (Engineer of the railroad laboratory) engineer)

Engineer of the railroad laboratory); Shtulman, M. A. (Chief

TITLE: Use of waveguide conduits to susist radio communication on AC-electrified railroads

SOURCE: Avtomatika, telemekhanika i svyas', no. 10, 1964, 4-8

TOPIC TAGS: waveguide, radio communication system, electric interference

Abstract: The introduction of AC electrification has presented very serious problems for existing automation, telemechanical and communication facilities. This is illustrated by the case of radio station ZhR-3, serving the East-Siberian Railway; on electrified portions of this line, the station encounters very high electrical interference. Theoretically the difficulty could be overcome by shifting to VHF, but in the specific range (150-160 Mc) Soviet radio technology has not been able to assure reliable and simple operation of stations. ZhR-3 has therefore taken up the use of waveguides on difficult segments of the route.

L 21157-65

ACCESSION NR: AP5005667

This decision follows extensive research made during 1960-1962 on the East Siberian RR, by various research groups and the line's laboratory; the results of this research were reported in an article by A. A. TANTSTURA, in the Ro II, 1963 issue of this periodical.

Waveguide conduits suspended from overhead supports were proposed and introduced into service as early as 1957, on the Irkutsk-Slyudyanka RR (N. A. RODYGIN; this periodical, No 1, 1959), where they have demonstrated their superiority over multiwire conductors ever since; in 1963, the entire Irkutsk-Zima stretch of 240 km had to be similarly equipped.

The technical advantages and problems associated with waveguide conduits are covered in some detail by the present article. Orig. art. has 5 figures.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: EC

NO REF SOV: OCO

OTHER: 000

JPRS

Card 2/2

NILENDER, R.A. prof.; FOMIN, V.N., inzh.; UL'MISHEK, L.G., inzh.

The electric lamp industry in the U.S.S.R. during the past 40 years.

Svetotekhnika 3 no.11:10-14 N '57. (MIRA 10:12)

1. Moskovskiy elektrolampovyy savod.

(Xlectric lamps)

ACCESSION NR: AP4040719 \$/0043/64/000/007/0037/0045

AUTHOR: Fomin, V. N.

TITLE: The stability of linear Hamiltonian equations with period coefficients in Hilbert space

SOURCE: Leningrad. Universitet. Vestnik. Seriya matematiki, mekhaniki i astronomii no. 7, 1964, 37-45

TOPIC TAGS: Hamiltonian, linear Hamiltonian, Hamiltonian stability, periodic coefficient, Hilbert space, multiplicator, hermitian matrix, monodromy operator

ABSTRACT: Consider the system of differential equations

 $j\frac{dx}{dt} = H(t)x,\tag{A}$

where x is a 2m-dimensional vector-function, H(t) is a periodic, hermitian matrix-function, and $J = \begin{pmatrix} 0 & I_m \\ -I_m & 0 \end{pmatrix}$, where I_m is the m-th order unit matrix. It has been

established that the multiplicators of the Hamiltonian equation (A) can be decomposed in a natural way into first and second order multiplicators. Horeover, the equation is highly stable if all of its multiplicators are located on the unit circle and if among them there are no multiples of various orders. The converse

ACCESSION NR: AP4040719

of this assertion has also been proven. It turns out that an analogous statement can be made also for a linear, Hamiltonian equation in a Hilbert space if the coefficients of the equation are bounded operators. The main theorem proved in this paper is: In order that the Hamiltonian equation be highly stable it is necessary and sufficient that the spectrum of the monodromy operator be located on the unit circle and not have points of mixed orders. Two other theorems are also proven.

ASSOCIATION: none

SUBMITTED: 01Nov62

ENCL: 0

SUB CODE: MA

NO REF SOV: 006

OTHER: 004

Card 2/2

DERGUZOV, V.I.; FOMIN, V.N. (Leningrad):

"Mathematical analysis of the dynamical stability of elastic systems with infinite degrees of freedom."

report presented at the 2nd All-Union Congress on Theoretical and Applied Mechanics, Moscow, 29 Jan - 5 Feb 64.

83823

S/190/60/002/005/013/015 B004/B067

15,8108 also 2209

Kozlov, P. V., Makaruk, L., Fomin, V. N., Ol'khovskiy,

V. I.

TITLE: Studies in the Field of Polycarbonates. I. Effect of the

Molecular Weight on the Transition Temperatures of Poly-

carbonates

PERIODICAL: Vysokomolekulyarnyye soyedineniya, 1960, Vol. 2. No. 5,

pp. 770-777

TEXT: The authors wanted to study the influence exerted by the molecular weight on the thermomechanical properties and the transition temperatures of polycarbonates. The polymers obtained by V. N. Kotrelev at the Nauchno-issledovatel'skiy institut plastmass, Moskva (Scientific Research Institute of Plastics, Moscow) by phosgenating 2,2-bis-(4'-oxyphenyl)propane in homogeneous and heterogeneous media were used. They were dissolved in methyl chloride and fractionally precipitated by means of methanol. Fig. 1 shows the intrinsic viscosity as a function of the concentration for polymers with molecular weights of 20,000 and 235,000. As is shown

Card 1/3

AUTHORS:

83823

Studies in the Field of Polycarbonates. I. Effect of the Molecular Weight on the Transition Temperatures of Polycarbonates

S/190/60/002/005/013/015 B004/B067

by Fig. 2, polymers synthesized in a heterogeneous medium have an anomalous distribution of molecular weights. The thermomechanical properties and the transition temperatures were studied for fractions with molecular weights of from 5,000 to 220,000 (Figs. 3-5, Table). The low-molecular fractions showed no softening point but passed directly from the vitreous into the viscous state. After crystallization, their transition temperature was 70°C higher. In polymers with higher molecular weight and a polymerization degree of 40, the chains became flexible on heating. These products became highly elastic. A further temperature increase, however, led to hardening as a result of crystallization (Fig. 6). In low-molecular polymers it occurred at lower temperatures than in high-molecular ones. The polymers having the highest molecular weight showed the typical behavior of amorphous polymers. According to their molecular weight, polycarbonates have the properties of both crystallizing and amorphous polymers. As to the flexibility of the chains, they hold an intermediate position between polyisobutylene and polyvinyl chloride, although polycarbonate products are characterized by high strength Wand hardness. This contradiction is explained by a specific steric structure of the large polycarbonate Card 2/3

83823

Studies in the Field of Polycarbonates. I. Effect of the Molecular Weight on the Transition Temperatures of Polycarbonates

S/190/60/002/005/013/015 B004/B067

molecules, by strong intermolecular interaction, and by the assumption of secondary structural formations in polycarbonate products. The authors thank V. A. Kargin for a discussion. There are 6 figures, ? table, and 18 references: 8 Soviet, 2 US, 1 British, and 5 German.

ASSOCIATION:

Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova

(Moscow State University imeni M. V. Lomonosov)

SUBMITTED:

February 2, 1960

Card 3/3

